

# ENERGY STAR Ventilating Fans Product List

## List Current as of December 16, 2009

\* Where a range of as-tested airflow, efficacy, or sound level values is reported, this indicates that in the case of a range hood, multiple configurations are available, and in the case of a bathroom or utility room fan, or an in-line ventilating fan, the fan has more than one speed.

\*\* F = Fluorescent; L = LED

\*\*\* It is standard industry practice to round down airflow to the nearest 10 cfm when publishing this metric in product directories as the Airflow Certified Rating. For this reason, Airflow Certified Rating and As-Tested Airflow may occasionally differ on this list. In the case of a range hood, Airflow Certified Rating represents performance at working speed, while in the case of a bathroom or utility room fan, or an in-line ventilating fan, it represents maximum speed.

Unit Type	Company	Brand	Model Name	Model Number	Number of Speeds	As-Tested Airflow (CFM)*	Efficacy (CFM/W)*	Sound Level (sones)*	Warranty (Years)	Type of Light Source**	Airflow Certified Rating (CFM)***	Certified By
Bathroom/Utility Room	Air-King, Ltd.	Air-King	Eco Exhaust	ES80S	1	91	3.1	<0.3	1	N/A	80	HVI
Bathroom/Utility Room	Air-King, Ltd.	Air-King	Eco-Exhaust	ES130S	1	130	4.0	<0.3	1	N/A	130	HVI
Bathroom/Utility Room	Air-King, Ltd.	Air-King		AK100LSL	1		3.6	1.5	5	F	100	HVI
Bathroom/Utility Room	Air-King, Ltd.	Air-King		AK110-1	1		3.0	2.0	5	N/A	110	HVI
Bathroom/Utility Room	Air-King, Ltd.	Air-King		AK110LS	1		4.0	1.5	5	N/A	110	HVI
Bathroom/Utility Room	Air-King, Ltd.	Air-King		AK110PN	1		3.7	1.5	3	N/A	100	HVI
Bathroom/Utility Room	Air-King, Ltd.	Air-King		AK150LS	1	175	2.9	1.5	5	N/A	150	HVI
Bathroom/Utility Room	Air-King, Ltd.	Air-King		AK200LS	1		3.5	2.0	5	N/A	210	HVI
Bathroom/Utility Room	Air-King, Ltd.	Air-King		AK50LS	1		1.8	0.5	3	N/A	50	HVI
Bathroom/Utility Room	Air-King, Ltd.	Air-King		AK80-1	1		3.3	1.5	5	N/A	80	HVI
Bathroom/Utility Room	Air-King, Ltd.	Air-King		AK80LS	1		3.2	0.6	5	N/A	80	HVI
Bathroom/Utility Room	Air-King, Ltd.	Air-King		AK80LS-1	1		3.3	1.0	5	N/A	80	HVI
Bathroom/Utility Room	Air-King, Ltd.	Air-King		AK80LSL	1		3.3	0.8	5	F	80	HVI
Bathroom/Utility Room	Air-King, Ltd.	Air-King		AK90-1	1		3.1	1.5	5	N/A	90	HVI
Bathroom/Utility Room	Air-King, Ltd.	Air-King		AKF100LS	1	116	4.2	1.5	1	F	100	HVI
Bathroom/Utility Room	Air-King, Ltd.	Air-King		AKF80LS	1	81	3.3	0.8	1	F	80	HVI
Bathroom/Utility Room	Air-King, Ltd.	Air-King		BFQ50	1		1.8	1.0	3	N/A	50	HVI
Bathroom/Utility Room	Air-King, Ltd.	Air-King		BFQ70	1		2.3	2.0	3	N/A	70	HVI
Bathroom/Utility Room	Air-King, Ltd.	Air-King		BFQ75	1		2.3	2.0	3	N/A	70	HVI
Bathroom/Utility Room	Air-King, Ltd.	Air-King		FRAK80	1		3.3	1.0	3	N/A	80	HVI
Bathroom/Utility Room	Air-King, Ltd.	Air-King		FRAK90	1		3.2	1.5	3	N/A	90	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan	Heavy Duty Series	HD50	1	57	2.1	1.5	1	N/A	50	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan	Heavy Duty Series	RDH with HD50RDF (=HD50)	1	57	2.1	1.5	1	N/A	50	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan	QT Series	QTRE080	1		2.8	0.8	3	N/A	80	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan	QT Series	QTRE080FLT	1		2.8	0.8	3	F	80	HVI

Unit Type	Company	Brand	Model Name	Model Number	Number of Speeds	As-Tested Airflow (CFM)*	Efficacy (CFM/W)*	Sound Level (sones)*	Warranty (Years)	Type of Light Source**	Airflow Certified Rating (CFM)***	Certified By
Bathroom/Utility Room	Broan-NuTone LLC	Broan	QT Series	QTRE080R	1	80	2.8	0.8	3	N/A	80	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan	QT Series	QTRE090	1		3.1	1.0	3	N/A	90	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan	QT Series	QTRE090FL	1		3.1	1.0	3	F	90	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan	QT Series	QTRE110	1		3.0	1.3	3	N/A	110	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan	QT Series	QTRE110FLT	1		3.0	1.3	3	F	110	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan	QT Series	QTXE050	1	70	3.6	<0.3	3	N/A	50	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan	QT Series	QTXE080	1		3.4	0.3	3	N/A	80	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan	QT Series	QTXE080FLT	1		3.4	0.3	3	F	80	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan	QT Series	QTXE110	1		3.3	0.7	3	N/A	110	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan	QT Series	QTXE110FLT	1		3.3	0.7	3	F	110	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan	QT Series	QTXE150	1	155	3.0	1.4	3	N/A	150	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan	QT Series	QTXE150FLT	1	155	3.0	1.4	3	F	150	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan	QT Series	QTXR000HF with QTRE080F (=QTRE080)	1		2.8	0.8	3	N/A	80	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan	QT Series	QTXR000HF with QTRE110F (=QTRE110)	1		3.0	1.3	3	N/A	110	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan	QT Series	QTXR000HL with QTRE080FLFT (=QTRE080FLT)	1		2.8	0.8	3	F	80	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan	QT Series	QTXR000HL with QTRE110FLFT (=QTRE110FLT)	1		3.0	1.3	3	F	110	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan	Recessed Fan Light	744FL	1		2.5	1.5	1	F	70	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan	Sensaire	HQTS4 with FQTRE100S (=QTRE100S)	1	110	3.0	1.5	3	N/A	100	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan	Sensaire	QTRE100S	1	110	3.0	1.5	3	N/A	100	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan	Sensaire	QTXE110S	1	110	3.3	0.7	3	N/A	110	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan	Sensaire	QTXE110SFLT	1	110	3.3	0.7	3	F	110	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan	SmartSense	SSQTXE080	1	80	3.4	0.3	3	N/A	80	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan	SmartSense	SSQTXE110	1	110	3.3	0.7	3	N/A	110	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan (Canada)	Heavy Duty Series	DXH600 with FHD50C (=HD50C)	1	57	2.1	1.5	1	N/A	50	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan (Canada)	Heavy Duty Series	HD50C	1	57	2.1	1.5	1	N/A	50	HVI

Unit Type	Company	Brand	Model Name	Model Number	Number of Speeds	As-Tested Airflow (CFM)*	Efficacy (CFM/W)*	Sound Level (sones)*	Warranty (Years)	Type of Light Source**	Airflow Certified Rating (CFM)***	Certified By
Bathroom/Utility Room	Broan-NuTone LLC	Broan (Canada)	QT Series	HQTXE with FQTXE090C (=QTXE090C)	1	97	3.7	0.6	3	N/A	90	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan (Canada)	QT Series	HQTXE with FQTXE110C (=QTXE110C)	1	110	3.3	0.9	3	N/A	110	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan (Canada)	QT Series	HQTXR000C with FQTRE070C (=QTXE070C)	1	80	2.8	0.8	3	N/A	70	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan (Canada)	QT Series	HQTXR000C with FQTRE080C (=QTXE080C)	1	80	2.8	0.8	3	N/A	80	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan (Canada)	QT Series	HQTXR000C with FQTRE090C (=QTXE090C)	1	91	3.1	1.0	3	N/A	90	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan (Canada)	QT Series	HQTXR000C with FQTRE090MG (=QTXE090MG)	1	91	3.1	1.0	3	N/A	90	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan (Canada)	QT Series	HQTXR000C with FQTRE110C (=QTXE110C)	1		3.0	1.3	3	N/A	110	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan (Canada)	QT Series	QTRE070C	1	80	2.8	0.8	3	N/A	70	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan (Canada)	QT Series	QTRE075C	1	80	2.8	0.8	3	N/A	70	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan (Canada)	QT Series	QTRE080C	1	80	2.8	0.8	3	N/A	80	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan (Canada)	QT Series	QTRE090C	1	91	3.1	1.0	3	N/A	90	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan (Canada)	QT Series	QTRE090FLC	1	91	3.1	1.0	3	F	90	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan (Canada)	QT Series	QTRE110C	1		3.0	1.3	3	N/A	110	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan (Canada)	QT Series	QTRE110FLC	1		3.0	1.3	3	F	110	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan (Canada)	QT Series	QTXE050C	1	70	3.6	<0.3	3	N/A	50	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan (Canada)	QT Series	QTXE090C	1	97	3.7	0.6	3	N/A	90	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan (Canada)	QT Series	QTXE090FLC	1	97	3.7	0.6	3	F	90	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan (Canada)	QT Series	QTXE110C	1	110	3.3	0.9	3	N/A	110	HVI

Unit Type	Company	Brand	Model Name	Model Number	Number of Speeds	As-Tested Airflow (CFM)*	Efficacy (CFM/W)*	Sound Level (sones)*	Warranty (Years)	Type of Light Source**	Airflow Certified Rating (CFM)***	Certified By
Bathroom/Utility Room	Broan-NuTone LLC	Broan (Canada)	QT Series	QTXE110FLC	1		3.3	0.9	3	F	110	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan (Canada)	QT Series	QTXE150C	1	155	3.0	1.4	3	N/A	150	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan (Canada)	QT Series	QTXE150FLC	1	155	3.0	1.4	3	F	150	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan (Canada)	Sensaire	QTRE100H	1	110	3.0	1.5	3	N/A	100	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan (Canada)	Sensaire	QTXE110H	1	110	3.3	0.7	3	N/A	110	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan (Canada)	Solitaire Ultra Silent	S110UEC	1		3.8	1.5	1	N/A	110	HVI
Bathroom/Utility Room	Broan-NuTone LLC	Broan (Canada)	Solitaire Ultra Silent	S80UEC	1	83	3.4	0.7	1	N/A	80	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone	Heavy Duty Series	HD50NT	1	57	2.1	1.5	1	N/A	50	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone	Heavy Duty Series	RDA with HD50RDB (=HD50NT)	1	57	2.1	1.5	1	N/A	50	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone	QT Series	QTREN080	1		2.8	0.8	3	N/A	80	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone	QT Series	QTREN080FLT	1		2.8	0.8	3	F	80	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone	QT Series	QTREN110	1		3.0	1.3	3	N/A	110	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone	QT Series	QTREN110FLT	1		3.0	1.3	3	F	110	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone	QT Series	QTXEN050	1	70	3.6	<0.3	3	N/A	50	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone	QT Series	QTXEN080	1		3.4	0.3	3	N/A	80	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone	QT Series	QTXEN080FLT	1		3.4	0.3	3	F	80	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone	QT Series	QTXEN110	1		3.3	0.7	3	N/A	110	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone	QT Series	QTXEN110FLT	1		3.3	0.7	3	F	110	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone	QT Series	QTXEN150	1	155	3.0	1.4	3	N/A	150	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone	QT Series	QTXEN150FLT	1	155	3.0	1.4	3	F	150	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone	QT Series	QTXRN000HF with QTREN080F (=QTREN080)	1		2.8	0.8	3	N/A	80	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone	QT Series	QTXRN000HF with QTREN110F (=QTREN110)	1		3.0	1.3	3	N/A	110	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone	QT Series	QTXRN000HL with QTREN080FLFT (=QTREN080FLT)	1		2.8	0.8	3	F	80	HVI

Unit Type	Company	Brand	Model Name	Model Number	Number of Speeds	As-Tested Airflow (CFM)*	Efficacy (CFM/W)*	Sound Level (sones)*	Warranty (Years)	Type of Light Source**	Airflow Certified Rating (CFM)***	Certified By
Bathroom/Utility Room	Broan-NuTone LLC	NuTone	QT Series	QTXRN000HL with QTREN110FLFT (=QTREN110FLT)	1		3.0	1.3	3	F	110	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone	Recessed Fan Light	744FLNT	1		2.5	1.5	1	F	70	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone	Sensaire	QTXEN110S	1	110	3.3	0.7	3	N/A	110	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone	Sensaire	QTXEN110SFLT	1	110	3.3	0.7	3	F	110	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone (Canada)	QT Series	QTREN070C	1	80	2.8	0.8	3	N/A	70	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone (Canada)	QT Series	QTREN080C	1	80	2.8	0.8	3	N/A	80	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone (Canada)	QT Series	QTREN090C	1	91	3.1	1.0	3	N/A	90	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone (Canada)	QT Series	QTREN090FLC	1	91	3.1	1.0	3	F	90	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone (Canada)	QT Series	QTREN110C	1		3.0	1.3	3	N/A	110	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone (Canada)	QT Series	QTREN110FLC	1		3.0	1.3	3	F	110	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone (Canada)	QT Series	QTXEN050C	1	70	3.6	<0.3	3	N/A	50	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone (Canada)	QT Series	QTXEN090C	1	97	3.7	0.6	3	N/A	90	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone (Canada)	QT Series	QTXEN090FLC	1	97	3.7	0.6	3	F	90	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone (Canada)	QT Series	QTXEN110C	1		3.3	0.9	3	N/A	110	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone (Canada)	QT Series	QTXEN110FLC	1		3.3	0.9	3	F	110	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone (Canada)	QT Series	QTXEN150C	1	155	3.0	1.4	3	N/A	150	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone (Canada)	QT Series	QTXEN150FLC	1	155	3.0	1.4	3	F	150	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone (Canada)	Sensaire	QTREN100H	1	110	3.0	1.5	3	N/A	100	HVI
Bathroom/Utility Room	Broan-NuTone LLC	NuTone (Canada)	Sensaire	QTXEN110H	1	110	3.3	0.7	3	N/A	110	HVI
Bathroom/Utility Room	Carnes	Carnes	VCDK005	VCDK005	1	70	2.6	1.6	1	N/A	50	HVI
Bathroom/Utility Room	Carnes	Carnes	VCDK008	VCDK008	1	75	2.2	1.9	1	N/A	70	HVI
Bathroom/Utility Room	Carnes	Carnes	VCDK009	VCDK009	1	115	2.8	1.8	1	N/A	110	HVI
Bathroom/Utility Room	Carnes	Carnes	VCDK010	VCDK010	1	150	3.3	2.4	1	N/A	110	HVI

Unit Type	Company	Brand	Model Name	Model Number	Number of Speeds	As-Tested Airflow (CFM)*	Efficacy (CFM/W)*	Sound Level (sones)*	Warranty (Years)	Type of Light Source**	Airflow Certified Rating (CFM)***	Certified By
Bathroom/Utility Room	Carnes	Carnes	VCDK015	VCDK015	1	185	4.1	2.8	1	N/A	160	HVI
Bathroom/Utility Room	Continental Fan Manufacturing Inc.	Continental Fan	Aerofan	TBF120	2	80 - 110	2.5 - 3.1	1.0 - 2.0	3	N/A	110, 80	HVI
Bathroom/Utility Room	Continental Fan Manufacturing Inc.	Continental Fan	Aerofan	TBF90	2	50 - 80	2.4 - 3.1	.9 - 2	3	N/A	80, 50	HVI
Bathroom/Utility Room	Continental Fan Manufacturing Inc.	Continental Fan	Aerofan	TBFR120L	2	70 - 100	2.3 - 3.1	.8 - 2.0	1	F	100, 70	HVI
Bathroom/Utility Room	Continental Fan Manufacturing Inc.	Continental Fan	Aerofan	TBFR90L	2	50 - 80	2.5 - 3.4	.4 - 2.0	1	F	80, 50	HVI
Bathroom/Utility Room	Continental Fan Manufacturing Inc.	Continental Fan	Aerofan	TBFS120L	2	70 - 90	2.3 - 3.0	1.0 - 2.0	1	F	90, 70	HVI
Bathroom/Utility Room	Continental Fan Manufacturing Inc.	Continental Fan	Aerofan	TBFS90L	2	50 - 70	2.6 - 3.3	.6 - 1.5	1	F	70, 50	HVI
Bathroom/Utility Room	General Electric	GE Industrial Systems		BF100S	1		3.3	1.0	5	N/A	80	HVI
Bathroom/Utility Room	General Electric	GE Industrial Systems		BF100UQ	1		3.3	1.5	5.0	N/A	80	HVI
Bathroom/Utility Room	General Electric	GE Industrial Systems		BF80S	1		3.3	1.0	5	N/A	80	HVI
Bathroom/Utility Room	General Electric	GE Industrial Systems		BF80UQ	1		3.3	1.5	5	N/A	80	HVI
Bathroom/Utility Room	Guangdong Genuin Electric Co., Ltd.	GNN		BPT12-02A	1		1.8	1.0	1	N/A	50	HVI
Bathroom/Utility Room	Guangdong Genuin Electric Co., Ltd.	GNN		BPT12-14A	1		2.5	0.8	1	N/A	70	HVI
Bathroom/Utility Room	Guangdong Genuin Electric Co., Ltd.	GNN		BPT15-14A1	1		2.1	1.0	1	N/A	80	HVI
Bathroom/Utility Room	Guangdong Genuin Electric Co., Ltd.	GNN		BPT15-24A	1		3.4	1.5	1	N/A	110	HVI
Bathroom/Utility Room	Guangdong Genuin Electric Co., Ltd.	GNN		BPT15-24A1	1		2.4	1.5	1	N/A	110	HVI
Bathroom/Utility Room	Guangdong Genuin Electric Co., Ltd.	GNN		BPT15-34A	1		3.5	2.0	1	N/A	160	HVI
Bathroom/Utility Room	Guangdong Genuin Electric Co., Ltd.	GNN		BPT18-44A	1		4.1	1.5	1	N/A	180	HVI
Bathroom/Utility Room	Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AF50G1	AF50G1	1		2.1	1.1	1	N/A	50	HVI
Bathroom/Utility Room	Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AF69L1	AF69L1	1		2.4 - 3.4	0.4 - 2	1	F	80, 50	HVI

Unit Type	Company	Brand	Model Name	Model Number	Number of Speeds	As-Tested Airflow (CFM)*	Efficacy (CFM/W)*	Sound Level (sones)*	Warranty (Years)	Type of Light Source**	Airflow Certified Rating (CFM)***	Certified By
Bathroom/Utility Room	Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AF69L2	AF69L2	2		2.1 - 3.1	0.5 - 2	1	F	70, 40	HVI
Bathroom/Utility Room	Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AF69L3	AF69L3	2		2.6 - 3.3	0.6 - 1.5	1	F	70, 50	HVI
Bathroom/Utility Room	Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AF912L1	AF912L1	2		2.2 - 3.1	0.8 - 2	1	F	100, 70	HVI
Bathroom/Utility Room	Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AF912L2	AF912L2	2		2.1 - 3.0	0.8 - 2	1	F	100, 70	HVI
Bathroom/Utility Room	Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AF912L3	AF912L3	2		2.3 - 3.0	1.0 - 2	1	F	90, 70	HVI
Bathroom/Utility Room	Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU		AF69G1	2		2.4 - 3.0	0.9 - 2.0	1	N/A	80, 50	HVI
Bathroom/Utility Room	Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU		AF69G2	2		2.4 - 3.0	0.9 - 2.0	1	N/A	80, 50	HVI
Bathroom/Utility Room	Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU		AF69G3	2		2.4 - 3.0	0.9 - 2.0	1	N/A	80, 50	HVI
Bathroom/Utility Room	Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU		AF69G4	2		2.4 - 3.0	0.9 - 2.0	1	N/A	80, 50	HVI
Bathroom/Utility Room	Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU		AF69G5	1		2.4 - 3.0	0.9 - 2.0	1	N/A	80, 50	HVI
Bathroom/Utility Room	Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU		AF69G6	2		2.4 - 3.0	0.9 - 2.0	1	N/A	80, 50	HVI
Bathroom/Utility Room	Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU		AF912G1	2		2.2 - 3.1	1.0 - 2.0	1	N/A	110, 70	HVI
Bathroom/Utility Room	Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU		AF912G2	2		2.2 - 3.1	1.0 - 2.0	1	N/A	110, 70	HVI
Bathroom/Utility Room	Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU		AF912G3	2		2.2 - 3.1	1.0 - 2.0	1	N/A	110, 70	HVI

Unit Type	Company	Brand	Model Name	Model Number	Number of Speeds	As-Tested Airflow (CFM)*	Efficacy (CFM/W)*	Sound Level (sones)*	Warranty (Years)	Type of Light Source**	Airflow Certified Rating (CFM)***	Certified By
Bathroom/Utility Room	Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU		AF912G4	2		2.2 - 3.1	1.0 - 2.0	1	N/A	110, 70	HVI
Bathroom/Utility Room	Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU		AF912G5	2		2.2 - 3.1	1.0 - 2.0	1	N/A	110, 70	HVI
Bathroom/Utility Room	Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU		AF912G6	2		2.2 - 3.1	1.0 - 2.0	1	N/A	110, 77	HVI
Bathroom/Utility Room	Hunter Fan Company	Hunter		82030	1	70	3.6	0.599	5	N/A	70	HVI
Bathroom/Utility Room	Hunter Fan Company	Hunter		82031	1	91	4.5	0.918	5	N/A	90	HVI
Bathroom/Utility Room	Hunter Fan Company	Hunter		82032	1	110	4.6	1.422	5	N/A	110	HVI
Bathroom/Utility Room	Hunter Fan Company	Hunter		82033	1	141	4.5	1.7	5	N/A	140	HVI
Bathroom/Utility Room	Hunter Fan Company	Hunter		82040	1	72	3.6	0.639	5	F	70	HVI
Bathroom/Utility Room	Hunter Fan Company	Hunter		82041	1	91	4.4	0.875	5	F	90	HVI
Bathroom/Utility Room	Hunter Fan Company	Hunter		82042	1		4.8	1.316	5	F	110	HVI
Bathroom/Utility Room	Hunter Fan Company	Hunter		82043	1	140	4.5	1.6	5	F	140	HVI
Bathroom/Utility Room	Hunter Fan Company	Hunter		82045	1	70	3.3	1.6	5	F	70	HVI
Bathroom/Utility Room	Hunter Fan Company	Hunter		82048	1	71	3.5	2.0	5	N/A	70	HVI
Bathroom/Utility Room	King of Fans	Harbor Breeze		0056928 (7107-01-01)	1	111	3.3	.8	1	N/A	90	HVI
Bathroom/Utility Room	King of Fans	Harbor Breeze		0056974 (7108-01-L)	1	118	3.6	1.2	1	F	110	HVI
Bathroom/Utility Room	King of Fans	Harbor Breeze		0057823 (7105-01-L)	1	101	3.3	1.1	1	F	90	HVI
Bathroom/Utility Room	King of Fans	KOF		BF110	1	111	3.3	.8	1	N/A	90	HVI
Bathroom/Utility Room	King of Fans	KOF		BF1100L	1	118	3.6	1.2	1	F	110	HVI
Bathroom/Utility Room	King of Fans	KOF		BF80	1	90	3.9	0.7	1	N/A	80	HVI
Bathroom/Utility Room	King of Fans	KOF		BF80L	1	93	3.4	1.0	1	F	80	HVI
Bathroom/Utility Room	King of Fans	KOF		BF90	1	101	3.3	1.1	1	F	90	HVI
Bathroom/Utility Room	Lexton Industries, Inc.	Lexton	EZM	EZM50	1	57	2.2	0.6	1	N/A	50	HVI

Unit Type	Company	Brand	Model Name	Model Number	Number of Speeds	As-Tested Airflow (CFM)*	Efficacy (CFM/W)*	Sound Level (sones)*	Warranty (Years)	Type of Light Source**	Airflow Certified Rating (CFM)***	Certified By
Bathroom/Utility Room	Lexton Industries, Inc.	Lexton	EZM	EZM70	1	72	2.8	1.5	1	N/A	70	HVI
Bathroom/Utility Room	Lexton Industries, Inc.	Lexton	LQF	LQF140	1	141	3.4	1.5	1	N/A	140	HVI
Bathroom/Utility Room	Lexton Industries, Inc.	Lexton	LQF	LQF160	1	166	3.1	2.5	1	N/A	160	HVI
Bathroom/Utility Room	Lexton Industries, Inc.	Lexton	LX	LX110	1	110	3.9	1.3	1	N/A	110	HVI
Bathroom/Utility Room	Lexton Industries, Inc.	Lexton	LX	LX90	1	97	4.1	0.7	1	N/A	90	HVI
Bathroom/Utility Room	Marley Engineered Products	Marley		8060ES	1		2.6	0.5	Lifetime	N/A	60	HVI
Bathroom/Utility Room	Marley Engineered Products	Marley		8060FL	1		2.6	0.5	Lifetime	F	60	HVI
Bathroom/Utility Room	Marley Engineered Products	Marley		8080ES	1		2.5	1.0	Lifetime	N/A	80	HVI
Bathroom/Utility Room	Marley Engineered Products	Marley		8080FL	1		2.5	1.0	Lifetime	F	80	HVI
Bathroom/Utility Room	Marley Engineered Products	Marley		8100ES	1		2.8	1.5	Lifetime	N/A	100	HVI
Bathroom/Utility Room	Marley Engineered Products	Marley		8100ESH	1		2.8	1.5	Lifetime	N/A	100	HVI
Bathroom/Utility Room	Marley Engineered Products	Marley		8100FL	1		2.8	1.5	Lifetime	F	100	HVI
Bathroom/Utility Room	Marley Engineered Products	Marley		8100FLH	1		2.8	1.5	Lifetime	F	100	HVI
Bathroom/Utility Room	Marley Engineered Products	Marley		8140ES	1		2.9	2.5	Lifetime	N/A	140	HVI
Bathroom/Utility Room	Marley Engineered Products	Marley		8140FL	1		2.9	2.5	Lifetime	F	140	HVI
Bathroom/Utility Room	Martech Marketing	Abreezo		DELUX80	1		1.9	0.9	1	N/A	80	HVI
Bathroom/Utility Room	Martech Marketing	Abreezo		PUFF55	1		2.6	1.5	1	N/A	50	HVI
Bathroom/Utility Room	National HVAC Products	ZONEX	Zonex GI-70x2	GI-70x2	1	190	3.2	2.5	1	N/A	190	HVI
Bathroom/Utility Room	National HVAC Products	ZONEX	Zonex GM-120	GM-120	1	116	3.2	1.5	1	N/A	110	HVI
Bathroom/Utility Room	National HVAC Products	ZONEX	Zonex GM-120P	GM-120P	1	110	3.1	2.0	1	N/A	110	HVI
Bathroom/Utility Room	National HVAC Products	ZONEX	Zonex GM-180	GM-180	1		2.9	2.5	2	N/A	200	HVI
Bathroom/Utility Room	National HVAC Products	ZONEX	Zonex GM-60	GM-60	1	69	2.5	0.9	1.5	N/A	60	HVI

Unit Type	Company	Brand	Model Name	Model Number	Number of Speeds	As-Tested Airflow (CFM)*	Efficacy (CFM/W)*	Sound Level (sones)*	Warranty (Years)	Type of Light Source**	Airflow Certified Rating (CFM)***	Certified By
Bathroom/Utility Room	National HVAC Products	ZONEX	Zonex GM-80	GM-80	1	86	2.8	1.2	1	N/A	80	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperCeiling	FV-05VQ3	1		3.9	<0.3	3	N/A	50	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperCeiling	FV-08VQ3	1		3.5	0.3	3	N/A	80	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperCeiling	FV-11VQ3	1		3.6	0.8	3	N/A	110	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperCeiling	FV-11VQD2	2	64 - 117	3.4 - 4.4	1.5	3	N/A	110, 60	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperCeiling	FV-15VQ4	1		4.8	0.6	3	N/A	150	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperCeiling	FV-20VQ3	1		4.5	1.3	3	N/A	190	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperCeiling	FV-30VQ3	1		4.6	2.0	3.0	N/A	290	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperCeiling	FV-40VQ3	1		3.4	3.0	3.0	N/A	380	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperFit	FV-05VF2	1		3.3	0.4	3	N/A	50	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperFit	FV-08VF2	1		3.3	0.8	3	N/A	80	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperFit	FV-09VF1	1		4.0	1.4	3	N/A	90	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperFit	FV-11VF2	1		3.3	1.5	3	N/A	110	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperFit-Lite	FV-05VFL2	1		3.0	<0.3	3	F	50	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperFit-Lite	FV-08VFL2	1		3.0	0.5	3	F	80	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperFit-Lite	FV-09VFL1	1		3.8	1.5	3.0	F	90	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperFit-Lite	FV-11VFL2	1		3.3	1.3	3	F	110	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperGreen	FV-05VK1	1		8.5	<0.3	6	N/A	50	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperGreen	FV-08VK1	1		7.2	0.3	6	N/A	80	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperGreen	FV-08VKM1	6	34 - 83	7.2 - 8.3	0.3	6	N/A	80, 60	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperGreen	FV-08VKM2	6	37 - 83	7.8 - 9.1	<0.3	6	N/A	80, 30, 60	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperGreen	FV-08VKS1	6	34 - 83	7.1 - 8.3	0.3	6	N/A	80, 60, 30	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperGreen	FV-08VKS2	6	37 - 83	7.8 - 9.1	<0.3	6	N/A	80, 30, 60	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperGreen	FV-13VKM2	5	54 - 131	7.5 - 10.1	0.5	6	N/A	130, 50, 70	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperGreen	FV-13VKS2	5	54 - 131	7.5 - 10.1	0.5	6	N/A	130, 50, 70	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperGreen-Lite	FV-08VKL1	1		7.1	<0.3	6	F	80	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperGreen-Lite	FV-08VKML1	1	38 - 83	6.1 - 7.5	0.3	6	F	80, 60, 30	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperGreen-Lite	FV-08VKML2	6	34 - 80	6.3 - 7.9	0.3	6	F	80, 60, 30	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperGreen-Lite	FV-08VKSL1	6	38 - 83	6.1 - 7.5	0.3	6	F	80, 60, 30	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperGreen-Lite	FV-08VKSL2	6	34 - 80	6.3 - 7.9	0.3	6	F	80, 60, 30	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperLite	FV-08VQL4	1		3.2	0.3	3	F	80	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperLite	FV-11VQL4	1		3.1	1.0	3	F	110	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperLite	FV-15VQL4	1		4.2	1.2	3	F	150	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperValue	FV-05VS1	1		3.2	0.8	3	N/A	50	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperValue	FV-08VS1	1		3.4	1.4	3	N/A	80	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperValue	FV-10VS1	1	107	2.9	1.5	3	N/A	100	HVI

Unit Type	Company	Brand	Model Name	Model Number	Number of Speeds	As-Tested Airflow (CFM)*	Efficacy (CFM/W)*	Sound Level (sones)*	Warranty (Years)	Type of Light Source**	Airflow Certified Rating (CFM)***	Certified By
Bathroom/Utility Room	Panasonic	Panasonic	WhisperValue-Lite	FV-08VSL1	1		3.3	1.3	3	F	80	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperValue-Lite	FV-10VSL1	1	107	2.9	1.5	3	F	100	HVI
Bathroom/Utility Room	Panasonic	Panasonic	WhisperWall	FV-08WQ1	1		4.0	1.1	3	N/A	70	HVI
Bathroom/Utility Room	Prime Industrial Products	PRIME	PME	PME 110	1	110	3.1	1.14	5	N/A	110	HVI
Bathroom/Utility Room	Prime Industrial Products	PRIME	PME	PME 130	1	130	3.2	1.69	5	N/A	130	HVI
Bathroom/Utility Room	Prime Industrial Products	PRIME	PME	PME 50	1	50	2.0	.225	5	N/A	50	HVI
Bathroom/Utility Room	Prime Industrial Products	PRIME	PME	PME 70	1	70	2.9	.25	5	N/A	70	HVI
Bathroom/Utility Room	Prime Industrial Products	PRIME	PME	PME 90	1	90	3.2	.8	5	N/A	90	HVI
Bathroom/Utility Room	Prime Industrial Products	PRIME	PQ	PQ 50	1	50	1.8	.847	3	N/A	50	HVI
Bathroom/Utility Room	Progress Lighting	Progress Lighting		PV020-30	1	93	3.9	0.7	1	N/A	80	HVI
Bathroom/Utility Room	Progress Lighting	Progress Lighting		PV021-30WB	1	93	3.4	1.0	1	F	80	HVI
Bathroom/Utility Room	RenewAire, LLC	RenewAire	V-Series	V110	1	112	4.6	.8	5	N/A	110	HVI
Bathroom/Utility Room	RenewAire, LLC	RenewAire	V-Series	V150	1	150	4.5	.3	5	N/A	150	HVI
Bathroom/Utility Room	RenewAire, LLC	RenewAire	V-Series	V50	1	58	4.5	.3	5	N/A	50	HVI
Bathroom/Utility Room	RenewAire, LLC	RenewAire	V-Series	V80	1	83	5.1	.3	5	N/A	80	HVI
Bathroom/Utility Room	Reversomatic Manufacturing Ltd.	Reversomatic	XL Series	QB-80	1		1.5	2.0	2	N/A	60	HVI
Bathroom/Utility Room	Reversomatic Manufacturing Ltd.	Reversomatic		CF-170BC	1		3.7	1.5	2	N/A	160	HVI
Bathroom/Utility Room	Reversomatic Manufacturing Ltd.	Reversomatic		CF-170ES	1		3.7	1.5	2	N/A	160	HVI
Bathroom/Utility Room	Reversomatic Manufacturing Ltd.	Reversomatic		QB-80BC	1		1.9	0.6	2	N/A	60	HVI
Bathroom/Utility Room	Reversomatic Manufacturing Ltd.	Reversomatic		QB-80LT	1		1.9	0.6	2	F	60	HVI
Bathroom/Utility Room	Reversomatic Manufacturing Ltd.	Reversomatic		QCF-110 ES	1		3.7	1.0	3	N/A	100	HVI
Bathroom/Utility Room	Reversomatic Manufacturing Ltd.	Reversomatic		QCF-125ES	1		3.0	2.0	2	N/A	110	HVI
Bathroom/Utility Room	Reversomatic Manufacturing Ltd.	Reversomatic		QCF-130BC	1		3.3	1.3	2	N/A	120	HVI
Bathroom/Utility Room	Reversomatic Manufacturing Ltd.	Reversomatic		QCF-130ES	1		3.3	1.3	2	N/A	120	HVI

Unit Type	Company	Brand	Model Name	Model Number	Number of Speeds	As-Tested Airflow (CFM)*	Efficacy (CFM/W)*	Sound Level (sones)*	Warranty (Years)	Type of Light Source**	Airflow Certified Rating (CFM)***	Certified By
Bathroom/Utility Room	Reversomatic Manufacturing Ltd.	Reversomatic		QCF-80 ES	1		2.3	0.5	2	N/A	50	HVI
Bathroom/Utility Room	Reversomatic Manufacturing Ltd.	Reversomatic		QK-130 ES	1		3.5	1.5	2	N/A	100	HVI
Bathroom/Utility Room	Reversomatic Manufacturing Ltd.	Reversomatic		QK-150 ES	1		3.9	1.1	2	N/A	130	HVI
Bathroom/Utility Room	Reversomatic Manufacturing Ltd.	Reversomatic		QK-160 ES	1		3.7	1.5	2	N/A	150	HVI
Bathroom/Utility Room	Reversomatic Manufacturing Ltd.	Reversomatic		QK-180 ES	1		3.5	2.0	2	N/A	180	HVI
Bathroom/Utility Room	Reversomatic Manufacturing Ltd.	Softaire		SA-150S	1	175	3.6	1.5	1	N/A	170	HVI
Bathroom/Utility Room	Reversomatic Manufacturing Ltd.	Softaire		SA-200S	1	216	2.9	3.0	1	N/A	210	HVI
Bathroom/Utility Room	Reversomatic Manufacturing Ltd.	Softaire		SA-50D	1	67	3.5	<0.3	1	N/A	60	HVI
Bathroom/Utility Room	Reversomatic Manufacturing Ltd.	Softaire		SA-70D	1	84	3.8	0.3	1	N/A	80	HVI
Bathroom/Utility Room	Reversomatic Manufacturing Ltd.	Softaire		SA-90S	1	113	4.1	1.0	1	N/A	110	HVI
Bathroom/Utility Room	Reversomatic Manufacturing Ltd.	Softaire		SA-90SM	1	113	4.1	1.0	1	N/A	110	HVI
Bathroom/Utility Room	Stelpro Design Inc	Stelpro Design	SQBF	SQBF070	1		4.1	<0.3	5	N/A	70	HVI
Bathroom/Utility Room	Stelpro Design Inc	Stelpro Design	SQBF	SQBF090	1		3.8	0.7	5	N/A	90	HVI
Bathroom/Utility Room	Stelpro Design Inc	Stelpro Design	SQBF	SQBF110	1		3.9	1.3	5	N/A	110	HVI
Bathroom/Utility Room	Stelpro Design Inc	Stelpro Design	SQBF	SQBF140	1		3.4	1.5	5	N/A	140	HVI
Bathroom/Utility Room	Stelpro Design Inc	Stelpro Design	SQBF	SQBF160	1		3.0	2.5	5	N/A	160	HVI
Bathroom/Utility Room	Stelpro Design Inc	Stelpro Design	SQBF	SQBFL110	1		4.0	1.3	5	F	110	HVI
Bathroom/Utility Room	Stelpro Design Inc	Stelpro Design		SPBF070	1	72	2.8	1.5	1	N/A	70	HVI
Bathroom/Utility Room	Windridge Fans Corporation	Windridge Fans	Deluxe	D100	1		3.4	1.2	2	N/A	100	HVI
Bathroom/Utility Room	Windridge Fans Corporation	Windridge Fans	Deluxe	D100L	1	101	3.1	0.8	2	F	100	HVI
Bathroom/Utility Room	Windridge Fans Corporation	Windridge Fans	Deluxe	D110	1		3.6	1.5	2	N/A	110	HVI

Unit Type	Company	Brand	Model Name	Model Number	Number of Speeds	As-Tested Airflow (CFM)*	Efficacy (CFM/W)*	Sound Level (sones)*	Warranty (Years)	Type of Light Source**	Airflow Certified Rating (CFM)***	Certified By
Bathroom/Utility Room	Windridge Fans Corporation	Windridge Fans	Deluxe	D110L	1	112	3.3	1.2	2	F	110	HVI
Bathroom/Utility Room	Windridge Fans Corporation	Windridge Fans	Deluxe	D120	1		3.8	2	2	N/A	120	HVI
Bathroom/Utility Room	Windridge Fans Corporation	Windridge Fans	Deluxe	D120L	1	123	3.3	1.5	2	F	120	HVI
Bathroom/Utility Room	Windridge Fans Corporation	Windridge Fans	Deluxe	D50	1	51	1.6	<0.3	2	N/A	50	HVI
Bathroom/Utility Room	Windridge Fans Corporation	Windridge Fans	Deluxe	D50L	1	52	1.6	<0.3	2	F	50	HVI
Bathroom/Utility Room	Windridge Fans Corporation	Windridge Fans	Deluxe	D80	1		3.1	0.8	2	N/A	80	HVI
Bathroom/Utility Room	Windridge Fans Corporation	Windridge Fans	Deluxe	D80L	1	86	2.7	0.5	2	F	80	HVI
Bathroom/Utility Room	Windridge Fans Corporation	Windridge Fans	Deluxe	D90	1		3.2	1.0	2	N/A	90	HVI
Bathroom/Utility Room	Windridge Fans Corporation	Windridge Fans	Deluxe	D90L	1	94	2.9	0.7	2	F	90	HVI
Bathroom/Utility Room	Windridge Fans Corporation	Windridge Fans	Econo Plus	EP110	1		4.1	2	2	N/A	110	HVI
Bathroom/Utility Room	Windridge Fans Corporation	Windridge Fans	Econo Plus	EP110L	1	110	4.0	2.0	2	F	110	HVI
Bathroom/Utility Room	Windridge Fans Corporation	Windridge Fans	Econo Plus	EP80	1		3.1	1.1	2	N/A	80	HVI
Bathroom/Utility Room	Windridge Fans Corporation	Windridge Fans	Econo Plus	EP80L	1	81	2.7	1.0	2	F	80	HVI
Bathroom/Utility Room	Windridge Fans Corporation	Windridge Fans	Econo Plus	EP90	1	94	3.8	1.5	2	N/A	90	HVI
Bathroom/Utility Room	Windridge Fans Corporation	Windridge Fans	Econo Plus	EP90L	1	90	3.7	1.1	2	F	90	HVI
In-line (multi-port)	American ALDES Ventilation Corporation	American ALDES	Ventergy Series	BVS 120	1		3.5	NA	3	N/A	150	HVI
In-line (multi-port)	American ALDES Ventilation Corporation	American ALDES	Ventergy Series	BVS 200	1		3.5	NA	3	N/A	230	HVI
In-line (multi-port)	American ALDES Ventilation Corporation	American ALDES	Ventergy Series	DSVS 100	1		2.9	NA	3	N/A	110	HVI
In-line (multi-port)	American ALDES Ventilation Corporation	American ALDES	Ventergy Series	MPVS 100	1		3.8	NA	3	N/A	80	HVI

Unit Type	Company	Brand	Model Name	Model Number	Number of Speeds	As-Tested Airflow (CFM)*	Efficacy (CFM/W)*	Sound Level (sones)*	Warranty (Years)	Type of Light Source**	Airflow Certified Rating (CFM)***	Certified By
In-line (multi-port)	American ALDES Ventilation Corporation	American ALDES	Ventergy Series	MPVS 120	1		3.2	NA	3	N/A	120	HVI
In-line (multi-port)	American ALDES Ventilation Corporation	American ALDES	Ventergy Series	MPVS 150	1		4.1	NA	3	N/A	170	HVI
In-line (multi-port)	American ALDES Ventilation Corporation	American ALDES	Ventergy Series	MPVS 200	1		4.0	NA	3	N/A	250	HVI
In-line (multi-port)	Reversomatic Manufacturing Ltd.	Reversomatic		TL-240ES	1		2.8		2	N/A	210	HVI
In-line (multi-port)	Reversomatic Manufacturing Ltd.	Reversomatic		TL-340	1		2.8		2	N/A	320	HVI
In-line (multi-port)	Reversomatic Manufacturing Ltd.	Reversomatic		TLD-200ES	1		2.8		2	N/A	220	HVI
In-line (single-port)	Airia Brands	Nutech	Quantum	NBQ-125-4	1		5.7	N/A	5	N/A	120	HVI
In-line (single-port)	Air-King, Ltd.	Air-King		AIF4X	1		5.3	N/A	5	N/A	100	HVI
In-line (single-port)	Air-King, Ltd.	Air-King		AIF6X	1		3.1	N/A	5	N/A	190	HVI
In-line (single-port)	Air-King, Ltd.	Air-King		AIF6Y	1		3.2	N/A	5	N/A	230	HVI
In-line (single-port)	Air-King, Ltd.	Air-King		AIF8X	1		3.0	N/A	5	N/A	360	HVI
In-line (single-port)	Air-King, Ltd.	Air-King		AIK14X	1		5.3	N/A	5	N/A	100	HVI
In-line (single-port)	Air-King, Ltd.	Air-King		AIK14XF	1		5.3	N/A	5	F	100	HVI
In-line (single-port)	Air-King, Ltd.	Air-King		AIK16X	1		3.1	N/A	5	N/A	190	HVI
In-line (single-port)	Air-King, Ltd.	Air-King		AIK26Y	1		3.2	N/A	5	N/A	230	HVI
In-line (single-port)	Air-King, Ltd.	Air-King		AIK26YF	1		3.2	N/A	5	F	230	HVI
In-line (single-port)	American ALDES Ventilation Corporation	American ALDES	P-Duct Fan	P-4	1		5.3	N/A	3	N/A	100	HVI
In-line (single-port)	American ALDES Ventilation Corporation	American ALDES	P-Duct Fan	P-5	1		6.7	N/A	3	N/A	120	HVI
In-line (single-port)	American ALDES Ventilation Corporation	American ALDES	P-Duct Fan	P-6	1		3.2	N/A	3	N/A	230	HVI
In-line (single-port)	American ALDES Ventilation Corporation	American ALDES	P-Duct Fan	P-8	1		3.0	N/A	3	N/A	360	HVI
In-line (single-port)	American ALDES Ventilation Corporation	American ALDES	P-Duct Fan	P-8HP	1		2.9	N/A	3	N/A	400	HVI

Unit Type	Company	Brand	Model Name	Model Number	Number of Speeds	As-Tested Airflow (CFM)*	Efficacy (CFM/W)*	Sound Level (sones)*	Warranty (Years)	Type of Light Source**	Airflow Certified Rating (CFM)***	Certified By
In-line (single-port)	American ALDES Ventilation Corporation	American ALDES	Ventergy Series	FSVS 100	1		3.0	N/A	3	N/A	110	HVI
In-line (single-port)	American ALDES Ventilation Corporation	American ALDES	Ventergy Series	VS-4	1		3.7	N/A	3	N/A	80	HVI
In-line (single-port)	American ALDES Ventilation Corporation	American ALDES	Ventergy Series	VS-4MAX	1		3.1	N/A	3	N/A	120	HVI
In-line (single-port)	American ALDES Ventilation Corporation	American ALDES	Ventergy Series	VS-6	1		4.2	N/A	3	N/A	170	HVI
In-line (single-port)	American ALDES Ventilation Corporation	American ALDES	Ventergy Series	VS-6MAX	1		4.1	N/A	3	N/A	260	HVI
In-line (single-port)	FanAm, Inc.	Magnavent		R100	1		3.5	N/A	3	N/A	120	HVI
In-line (single-port)	FanAm, Inc.	Magnavent		R150	1		3.2	N/A	3	N/A	330	HVI
In-line (single-port)	FanAm, Inc.	Magnavent		R200	1		3.2	N/A	3	N/A	400	HVI
In-line (single-port)	FanAm, Inc.	Magnavent		R315	1		2.9	N/A	3	N/A	810	HVI
In-line (single-port)	Fantech, Inc.	Fantech		BFRK100	1		5.3	N/A	5	N/A	100	HVI
In-line (single-port)	Fantech, Inc.	Fantech		FG10	1		3.5	N/A	5	N/A	480	HVI
In-line (single-port)	Fantech, Inc.	Fantech		FG10XL	1		2.9	N/A	5	N/A	560	HVI
In-line (single-port)	Fantech, Inc.	Fantech		FG12	1		3.8	N/A	5	N/A	680	HVI
In-line (single-port)	Fantech, Inc.	Fantech		FG12XL	1		2.9	N/A	5	N/A	880	HVI
In-line (single-port)	Fantech, Inc.	Fantech		FG4	1		5.5	N/A	5	N/A	110	HVI
In-line (single-port)	Fantech, Inc.	Fantech		FG5	1		6.5	N/A	5	N/A	130	HVI
In-line (single-port)	Fantech, Inc.	Fantech		FG6	1		3.8	N/A	5	N/A	270	HVI
In-line (single-port)	Fantech, Inc.	Fantech		FG6M	1		3.1	N/A	5	N/A	370	HVI
In-line (single-port)	Fantech, Inc.	Fantech		FG6XL	1		2.9	N/A	5	N/A	450	HVI
In-line (single-port)	Fantech, Inc.	Fantech		FG8	1		3.4	N/A	5	N/A	410	HVI
In-line (single-port)	Fantech, Inc.	Fantech		FG8XL	1		3.3	N/A	5	N/A	470	HVI
In-line (single-port)	Fantech, Inc.	Fantech		FR080	1		4.0	N/A	5	N/A	80	HVI
In-line (single-port)	Fantech, Inc.	Fantech		FR100	1		5.3	N/A	5	N/A	100	HVI
In-line (single-port)	Fantech, Inc.	Fantech		FR106	1		6.8	N/A	5	N/A	130	HVI
In-line (single-port)	Fantech, Inc.	Fantech		FR125	1		6.7	N/A	5	N/A	120	HVI
In-line (single-port)	Fantech, Inc.	Fantech		FR140	1		3.1	N/A	5	N/A	190	HVI
In-line (single-port)	Fantech, Inc.	Fantech		FR150	1		3.2	N/A	5	N/A	230	HVI
In-line (single-port)	Fantech, Inc.	Fantech		FR200	1		3.0	N/A	5	N/A	360	HVI
In-line (single-port)	Fantech, Inc.	Fantech		FR225	1		2.9	N/A	5	N/A	400	HVI

Unit Type	Company	Brand	Model Name	Model Number	Number of Speeds	As-Tested Airflow (CFM)*	Efficacy (CFM/W)*	Sound Level (sones)*	Warranty (Years)	Type of Light Source**	Airflow Certified Rating (CFM)***	Certified By
In-line (single-port)	Fantech, Inc.	Fantech		FX10XL	1		2.9	N/A	5	N/A	560	HVI
In-line (single-port)	Fantech, Inc.	Fantech		FX12	1		3.8	N/A	5	N/A	680	HVI
In-line (single-port)	Fantech, Inc.	Fantech		FX12XL	1		2.9	N/A	5	N/A	880	HVI
In-line (single-port)	Fantech, Inc.	Fantech		FX4	1		5.5	N/A	5	N/A	110	HVI
In-line (single-port)	Fantech, Inc.	Fantech		FX5	1		6.5	N/A	5	N/A	130	HVI
In-line (single-port)	Fantech, Inc.	Fantech		FX6	1		3.8	N/A	5	N/A	270	HVI
In-line (single-port)	Fantech, Inc.	Fantech		FX6XL	1		2.9	N/A	5	N/A	450	HVI
In-line (single-port)	Fantech, Inc.	Fantech		FX8	1		3.4	N/A	5	N/A	410	HVI
In-line (single-port)	Fantech, Inc.	Fantech		FX8XL	1		3.3	N/A	5	N/A	470	HVI
In-line (single-port)	Fantech, Inc.	Fantech		PB100	1		5.3	N/A	5	N/A	100	HVI
In-line (single-port)	Fantech, Inc.	Fantech		PB100F	1		5.3	N/A	5	F	100	HVI
In-line (single-port)	Fantech, Inc.	Fantech		PB110	1	114	5.6	N/A	7	N/A	110	HVI
In-line (single-port)	Fantech, Inc.	Fantech		PB110F	1	114	5.6	N/A	7	F	110	HVI
In-line (single-port)	Fantech, Inc.	Fantech		PB190	1		3.1	N/A	5	N/A	190	HVI
In-line (single-port)	Fantech, Inc.	Fantech		PB190	1	200	3.0	N/A	7	N/A	190	HVI
In-line (single-port)	Fantech, Inc.	Fantech		PB-230-2	1		3.2	N/A	5	N/A	230	HVI
In-line (single-port)	Fantech, Inc.	Fantech		PB230F-2	1		3.2	N/A	5	F	230	HVI
In-line (single-port)	Fantech, Inc.	Fantech		PB230FV-2	1		3.2	N/A	5	F	230	HVI
In-line (single-port)	Fantech, Inc.	Fantech		PB270-2	1	272	3.8	N/A	7	N/A	270	HVI
In-line (single-port)	Fantech, Inc.	Fantech		PB270F-2	1	272	3.8	N/A	7	F	270	HVI
In-line (single-port)	Fantech, Inc.	Fantech		PB270FV-2	1	272	3.8	N/A	7	F	270	HVI
In-line (single-port)	Fantech, Inc.	Fantech		PB360-2	1		3.0	N/A	5	N/A	360	HVI
In-line (single-port)	Fantech, Inc.	Fantech		PB370-2	1		3.1	N/A	5	N/A	370	HVI
In-line (single-port)	Fantech, Inc.	Fantech		PBW110	1	112	5.1	N/A	5	N/A	112	HVI
In-line (single-port)	Fantech, Inc.	Fantech		PBW110F	1	112	5.1	N/A	5	F	112	HVI
In-line (single-port)	Fantech, Inc.	Fantech		RE54	1		4.9	N/A	5	N/A	91	HVI
In-line (single-port)	Fantech, Inc.	Fantech		REC54	1		4.9	N/A	5	N/A	91	HVI
In-line (single-port)	Fantech, Inc.	Fantech		RVF4	1	112	5.1	N/A	5	N/A	112	HVI
In-line (single-port)	Festa Manufacturing Enterprises LLC.	AMG		Fury	1	500	3.1	N/A	5	N/A	500	HVI
In-line (single-port)	Festa Manufacturing Enterprises LLC.	AMG		Hawk	1	228	3.0	N/A	5	N/A	220	HVI
In-line (single-port)	Festa Manufacturing Enterprises LLC.	AMG		Spirit	1	106	4.6	N/A	5	N/A	100	HVI
In-line (single-port)	Panasonic	Panasonic	WhisperLine	FV-10NLF1	1		3.3	N/A	3.0	N/A	120	HVI
In-line (single-port)	Panasonic	Panasonic	WhisperLine	FV-20NLF1	1		4.2	N/A	3.0	N/A	240	HVI
In-line (single-port)	Panasonic	Panasonic	WhisperLine	FV-30NLF1	1		3.5	N/A	3.0	N/A	340	HVI
In-line (single-port)	Panasonic	Panasonic	WhisperLine	FV-40NLF1	1		3.3	N/A	3.0	N/A	440	HVI

Unit Type	Company	Brand	Model Name	Model Number	Number of Speeds	As-Tested Airflow (CFM)*	Efficacy (CFM/W)*	Sound Level (sones)*	Warranty (Years)	Type of Light Source**	Airflow Certified Rating (CFM)***	Certified By
In-line (single-port)	Soler & Palau	Soler & Palau	MixVent	TD-100	1		3.0	N/A	5	N/A	70	HVI
In-line (single-port)	Soler & Palau	Soler & Palau	MixVent	TD-100X	1		3.1	N/A	5	N/A	100	HVI
In-line (single-port)	Soler & Palau	Soler & Palau	MixVent	TD-125	1		3.6	N/A	5	N/A	140	HVI
In-line (single-port)	Soler & Palau	Soler & Palau	MixVent	TD-150	1		4.2	N/A	5	N/A	260	HVI
In-line (single-port)	Soler & Palau	Soler & Palau	MixVent	TD-200	1		4.8	N/A	5	N/A	470	HVI
In-line (single-port)	Soler & Palau	Soler & Palau	MixVent	TD-200X	1		3.5	N/A	5	N/A	440	HVI
In-line (single-port)	Soler & Palau	Soler & Palau	MixVent	TD-250	1		2.9	N/A	5	N/A	690	HVI
In-line (single-port)	Soler & Palau	Soler & Palau	MixVent	TD-315	1		3.0	N/A	5	N/A	950	HVI
In-line (single-port)	Soler & Palau	Soler & Palau	PowerVent	PV-150X	1		2.8	N/A	5	N/A	400	HVI
In-line (single-port)	Soler & Palau	Soler & Palau	PowerVent	PV-200X	1		2.8	N/A	5	N/A	490	HVI
In-line (single-port)	Soler & Palau	Soler & Palau	PowerVent	PV-250X	1		2.9	N/A	5	N/A	570	HVI
In-line (single-port)	Spruce Environmental Technologies, Inc.	HomeAire	ADC-4	ADC-4	1		5.3	N/A	2	N/A	110	HVI
In-line (single-port)	Spruce Environmental Technologies, Inc.	HomeAire	ADC-6	ADC-6	1		3.1	N/A	2	N/A	230	HVI
In-line (single-port)	Spruce Environmental Technologies, Inc.	Spruce	RB110	RB110	1		5.2	N/A	5	N/A	100	HVI
In-line (single-port)	Spruce Environmental Technologies, Inc.	Spruce	RB275	RB275	1		3.1	N/A	5	N/A	230	HVI
In-line (single-port)	Spruce Environmental Technologies, Inc.	Spruce	RB300	RB300	1		3.1	N/A	5	N/A	270	HVI
In-line (single-port)	Spruce Environmental Technologies, Inc.	Spruce	RB400	RB400	1		3.2	N/A	5	N/A	450	HVI
In-line (single-port)	Spruce Environmental Technologies, Inc.	Spruce	RB500	RB500	1		3.8	N/A	5	N/A	500	HVI
In-line (single-port)	Spruce Environmental Technologies, Inc.	Spruce	RL300	RL300	1		3.5	N/A	5	N/A	230	HVI
In-line (single-port)	Spruce Environmental Technologies, Inc.	Spruce	RL350	RL350	1		3.3	N/A	5	N/A	280	HVI
In-line (single-port)	Spruce Environmental Technologies, Inc.	Spruce	RL450	RL450	1		3.3	N/A	5	N/A	460	HVI

Unit Type	Company	Brand	Model Name	Model Number	Number of Speeds	As-Tested Airflow (CFM)*	Efficacy (CFM/W)*	Sound Level (sones)*	Warranty (Years)	Type of Light Source**	Airflow Certified Rating (CFM)***	Certified By
In-line (single-port)	Spruce Environmental Technologies, Inc.	Spruce	RL500	RL500	1		3.8	N/A	5	N/A	500	HVI
In-line (single-port)	Spruce Environmental Technologies, Inc.	Spruce	RL600	RL600	1		3.1	N/A	5	N/A	610	HVI
In-line (single-port)	Spruce Environmental Technologies, Inc.	Spruce	RP140	RP140	1	110	5.3	N/A	5	N/A	110	HVI
In-line (single-port)	Spruce Environmental Technologies, Inc.	Spruce	RP260	RP260	1	230	3.1	N/A	5	N/A	230	HVI
Range Hood	Air-King, Ltd.	Air-King	Advantage Series Professional Hood	APF1030-300	N/A	300	3.2	1.5	1	F	300	HVI
Range Hood	Air-King, Ltd.	Air-King	Advantage Series Professional Hood	APF1030-500	N/A	300	3.2	1.5	1	F	300	HVI
Range Hood	Air-King, Ltd.	Air-King	Advantage Series Professional Hood	APF1036-300	N/A	300	3.2	1.5	1	F	300	HVI
Range Hood	Air-King, Ltd.	Air-King	Advantage Series Professional Hood	APF1036-500	N/A	300	3.2	1.5	1	F	300	HVI
Range Hood	Air-King, Ltd.	Air-King	Advantage Series Professional Hood	APF1830-300	N/A	300	3.2	1.5	1	F	300	HVI
Range Hood	Air-King, Ltd.	Air-King	Advantage Series Professional Hood	APF1830-500	N/A	300	3.2	1.5	1	F	300	HVI
Range Hood	Air-King, Ltd.	Air-King	Advantage Series Professional Hood	APF1836-300	N/A	300	3.2	1.5	1	F	300	HVI
Range Hood	Air-King, Ltd.	Air-King	Advantage Series Professional Hood	APF1836-500	N/A	300	3.2	1.5	1	F	300	HVI
Range Hood	Air-King, Ltd.	Air-King	ESDQ	ESDQ1303	N/A	159 - 163	3.7 - 3.8	1.1 - 1.5	1	F	150, 150	HVI
Range Hood	Air-King, Ltd.	Air-King	ESDQ	ESDQ1304	N/A	159 - 163	3.7 - 3.8	1.1 - 1.5	1	F	150, 150	HVI
Range Hood	Air-King, Ltd.	Air-King	ESDQ	ESDQ1305	N/A	159 - 163	3.7 - 3.8	1.1 - 1.5	1	F	150, 150	HVI
Range Hood	Air-King, Ltd.	Air-King	ESDQ	ESDQ1306	N/A	159 - 163	3.7 - 3.8	1.1 - 1.5	1	F	150, 150	HVI
Range Hood	Air-King, Ltd.	Air-King	ESDQ	ESDQ1308	N/A	159 - 163	3.7 - 3.8	1.1 - 1.5	1	F	150, 150	HVI
Range Hood	Air-King, Ltd.	Air-King	ESV	ESSEV28S	N/A	141	2.8	.7	1	N/A	140	HVI
Range Hood	Air-King, Ltd.	Air-King	ESV	ESSEV30S	N/A	141	2.8	.7	1	N/A	140	HVI
Range Hood	Air-King, Ltd.	Air-King	ESV	ESVAL30S	N/A	209	3.0	2.0	1	N/A	200	HVI
Range Hood	Air-King, Ltd.	Air-King	ESV	ESVAL36S	N/A	209	3.0	2.0	1	N/A	200	HVI
Range Hood	Broan-NuTone LLC	Broan	QDE Series	QDE30BL	N/A	129 - 138	3.6 - 3.8	0.8 - 1.1	1	F	130, 120	HVI
Range Hood	Broan-NuTone LLC	Broan	QDE Series	QDE30SS	N/A	129 - 138	3.6 - 3.8	0.8 - 1.1	1	F	130, 120	HVI
Range Hood	Broan-NuTone LLC	Broan	QDE Series	QDE30WW	N/A	129 - 138	3.6 - 3.8	0.8 - 1.1	1	F	130, 120	HVI

Unit Type	Company	Brand	Model Name	Model Number	Number of Speeds	As-Tested Airflow (CFM)*	Efficacy (CFM/W)*	Sound Level (sones)*	Warranty (Years)	Type of Light Source**	Airflow Certified Rating (CFM)***	Certified By
Range Hood	Broan-NuTone LLC	Broan (Canada)	ESB Series	ESB1030BL	N/A	129 - 138	3.6 - 3.8	0.8 - 1.1	1	F	130, 120	HVI
Range Hood	Broan-NuTone LLC	Broan (Canada)	ESB Series	ESB1030SS	N/A	129 - 138	3.6 - 3.8	0.8 - 1.1	1	F	130, 120	HVI
Range Hood	Broan-NuTone LLC	Broan (Canada)	ESB Series	ESB1030SSD	N/A	129 - 138	3.6 - 3.8	0.8 - 1.1	1	F	130, 120	HVI
Range Hood	Broan-NuTone LLC	Broan (Canada)	ESB Series	ESB1030WH	N/A	129 - 138	3.6 - 3.8	0.8 - 1.1	1	F	130, 120	HVI
Range Hood	Broan-NuTone LLC	Broan (Canada)	ESB Series	ESB1030WHD	N/A	129 - 138	3.6 - 3.8	0.8 - 1.1	1	F	130, 120	HVI
Range Hood	Broan-NuTone LLC	NuTone (Canada)	ESN Series	ESN1030BL	N/A	129 - 138	3.6 - 3.8	0.8 - 1.1	1	F	130, 120	HVI
Range Hood	Broan-NuTone LLC	NuTone (Canada)	ESN Series	ESN1030SS	N/A	129 - 138	3.6 - 3.8	0.8 - 1.1	1	F	130, 120	HVI
Range Hood	Broan-NuTone LLC	NuTone (Canada)	ESN Series	ESN1030SSD	N/A	129 - 138	3.6 - 3.8	0.8 - 1.1	1	F	130, 120	HVI
Range Hood	Broan-NuTone LLC	NuTone (Canada)	ESN Series	ESN1030WH	N/A	129 - 138	3.6 - 3.8	0.8 - 1.1	1	F	130, 120	HVI
Range Hood	Broan-NuTone LLC	NuTone (Canada)	ESN Series	ESN1030WHD	N/A	129 - 138	3.6 - 3.8	0.8 - 1.1	1	F	130, 120	HVI
Range Hood	Reversomatic Manufacturing Ltd.	Reversomatic		4000-250 ES2	N/A	140	2.9	2.0	2	F	140	HVI
Range Hood	Venmar Ventilation Inc.	Kenmore	310	31000	N/A	129 - 138	3.6 - 3.8	0.80 - 1.10	1	F	130, 120	HVI
Range Hood	Venmar Ventilation Inc.	Kenmore	310	31052	N/A	129 - 138	3.6 - 3.8	0.80 - 1.10	1	F	130, 120	HVI
Range Hood	Venmar Ventilation Inc.	Kenmore	310	31053	N/A	129 - 138	3.6 - 3.8	0.80 - 1.10	1	F	130, 120	HVI
Range Hood	Venmar Ventilation Inc.	Kenmore	310	31059	N/A	129 - 138	3.6 - 3.8	0.80 - 1.10	1	F	130, 120	HVI
Range Hood	Venmar Ventilation Inc.	Venmar	ESV10	ESV1030BL	N/A	129 - 138	3.6 - 3.8	0.8 - 1.10	5	F	130, 120	HVI
Range Hood	Venmar Ventilation Inc.	Venmar	ESV10	ESV1030BLD	N/A	129 - 138	3.6 - 3.8	0.8 - 1.10	5	F	130, 120	HVI
Range Hood	Venmar Ventilation Inc.	Venmar	ESV10	ESV1030SS	N/A	129 - 138	3.6 - 3.8	0.8 - 1.10	5	F	130, 120	HVI
Range Hood	Venmar Ventilation Inc.	Venmar	ESV10	ESV1030SSD	N/A	129 - 138	3.6 - 3.8	0.8 - 1.10	5	F	130, 120	HVI
Range Hood	Venmar Ventilation Inc.	Venmar	ESV10	ESV1030WH	N/A	129 - 138	3.6 - 3.8	0.8 - 1.10	5	F	130, 120	HVI
Range Hood	Venmar Ventilation Inc.	Venmar	ESV10	ESV1030WHD	N/A	129 - 138	3.6 - 3.8	0.8 - 1.10	5	F	130, 120	HVI

Unit Type	Company	Brand	Model Name	Model Number	Number of Speeds	As-Tested Airflow (CFM)*	Efficacy (CFM/W)*	Sound Level (sones)*	Warranty (Years)	Type of Light Source**	Airflow Certified Rating (CFM)***	Certified By
Range Hood	Venmar Ventilation Inc.	Venmar Connaissanceur	ESC270	ESC27030BL	N/A	129 - 138	3.6 - 3.8	0.8 - 1.1	5	F	130, 120	HVI
Range Hood	Venmar Ventilation Inc.	Venmar Connaissanceur	ESC270	ESC27030SS	N/A	129 - 138	3.6 - 3.8	0.8 - 1.1	5	F	130, 120	HVI
Range Hood	Venmar Ventilation Inc.	Venmar Connaissanceur	ESC270	ESC27030SSD	N/A	129 - 138	3.6 - 3.8	0.8 - 1.1	5	F	130, 120	HVI
Range Hood	Venmar Ventilation Inc.	Venmar Connaissanceur	ESC270	ESC27030WH	N/A	129 - 138	3.6 - 3.8	0.8 - 1.1	5	F	130, 120	HVI
Range Hood	Venmar Ventilation Inc.	Venmar Connaissanceur	ESC270	ESC27030WHD	N/A	129 - 138	3.6 - 3.8	0.8 - 1.1	5	F	130, 120	HVI
Range Hood	Zephyr Corporation	Zephyr	ES1	ES1-E30AB	N/A	103	2.8	0.9	1	F	100	HVI
Range Hood	Zephyr Corporation	Zephyr	ES1	ES1-E30AS	N/A	103	2.8	0.9	1	F	100	HVI
Range Hood	Zephyr Corporation	Zephyr	ES1	ES1-E30AW	N/A	103	2.8	0.9	1	F	100	HVI